

Neptun

Plug&Play Freezer



WSL Refrigeration d.o.o. **GERMANY**

Representative office

Phone: +49 1525 542 91 68
info.de@wsl-refrigeration.com

WSL Refrigeration d.o.o. **CROATIA**

WSL Refrigeration d.o.o.
Zagrebačka cesta 233
10000 Zagreb

Phone: +385 1 388 26 80
info.hr@wsl-refrigeration.com

WSL Refrigeration d.o.o. **SLOVENIA**

WSL Refrigeration d.o.o.
Sneberska cesta 111B
1260 Ljubljana-Polje

Phone: +386 1 244 08 00
info.si@wsl-refrigeration.com

WSL Refrigeration s.r.l. **ROMANIA**

WLS Refrigeration s.r.l.
Dimitrie Pompei Blvd. 9-9A
2nd District, Bucharest

Phone: +40 74 81 84 770
info.ro@wls-refrigeration.com

WSL Refrigeration d.o.o. **SERBIA**

WSL Refrigeration d.o.o.
Prva Severna 8
22300 Stara Pazova

Phone: +381 22 21 55 701
info.rs@wsl-refrigeration.com

WSL Refrigeration d.o.o. **GREECE**

WSL Refrigeraton

Phone: +30 69 06 82 24 02
info.gr@wsl-refrigeration.com



Neptun – Plug&Play Freezer

■ NEPTUN Plug-and-Play is a range of Low Temperature full height vertical displays for displaying of frozen products. Cabinet is designed to meet the need for a negative temperature wall display with a unit and with huge display surface, providing easy access to the products and maximum visibility. NEPTUN Plug-and-Play Freezer offers lower energy consumption that results in less heat transmission, and thanks to its ergonomic design is an optimal solution for customers that strive to create the best working environment for their employee and improve sale.

- *Offers excellent level of display*
- *Easy access to the products for the customer to pick them up*
- *Available with doors in option with 2 and 3 doors*
- *Perfect solution for all the customer's display needs*



Neptun – Plug&Play Freezer



1 Doors detail



2 Price holder



3 Wired basket





4 Perspex shelf stopper





Neptun – Plug&Play Freezer

Technical Details

NEPTUN H 74 P&P



NEPTUN S 74 P&P



Technical Details

NEPTUN H 74 P&P, S 74 P&P		L1
Length	mm	1562-2342
Height H Height S	mm	H 2005/2170 S 2015/2170
Depth	mm	740
	°C	-15°/-18°C

