



RETAIL SYSTEMS | PRODUCT

## **Desire**

### Plug&Play Serve Over





#### W51 GERMANY

Representative office

Phone: +49 1525 542 91 68 info.de@wsl-refrigeration.com

#### WSI CROATIA

WSL Refrigeration d.o.o. Zagrebačka cesta 233 10000 Zagreb

Phone: +385 1 388 26 80 info.hr@wsl-refrigeration.com

#### WSI SLOVENIA

WSL Refrigeration d.o.o. Sneberska cesta 111B 1260 Ljubljana-Polje

Phone: +386 1 244 08 00 info.si@wsl-refrigeration.com

#### W/S ROMANIA

WLS Refrigeration s.r.l. Dimitrie Pompei Blvd. 9-9A 2nd District, Bucharest

Phone: +40 74 81 84 770 info.ro@wls-refrigeration.com

#### WSI .....SERBIA

WSL Refrigeration d.o.o. Prva Severna 8 22300 Stara Pazova

Phone: +381 22 21 55 701 info.rs@wsl-refrigeration.com

#### WSI AT DESCRIPTION OF THE PARTY OF THE PARTY

WSL Refrigeraton

Phone: +30 69 06 82 24 02 info.gr@wsl-refrigeration.com



### Desire – Plug&Play Serve Over

Serve over counter DESIRE Plug&Play is offers excellent visibility of the presented products and optimum functional solutions. The cabinet is available both remote and plug&play versions. It has a large inner surface for optimized product presentation and it is suitable for the display and sell of dairy products, delicatessen, cheese, meat and gastronomy. Large inner surface for optimized product presentation.

- Large inner surface for optimized product presentation
- Presents a perfect quality-price balance
- Offers excellent visibility of the presented products
- Available both in remote and plug-and-play versions







## Desire – Plug&Play Serve Over




**6** Glass shelf divider




**5** Glass shelf divider



Base deck wire divider




2 Inclinated base deck wire



3 Stainless tray




4 Scale deck, slicing machine deck, cutting board




# Desire – Plug&Play Serve Over

### Technical Details

### DESIRE E 108 P&P Flat



#### DESIRE E 108 P&P Curved



DESIRE E 108 Flat P&P, E 108 Curved P&P		M1	M2
Length	mm	938-1250-1875-2500-3750	938-1250-1875-2500-3750
Height	mm	1290-1297	1290-1297
Depth	mm	1075-1086	1075-1086
	°C	-1º/+5 ºC	-1º/+7 ºC



6