NEPTUN COMBO



REMOTE

COMBINED CABINETS







LOW TEMPERATURE CABINET

- Low temperature combined cabinet, availabile in SKY (S) and Horizon (H) design line
- Great capacity displayed volume and floor space occupation
- Equipped with 2 evaporators top/bottom section for perfect freezing performance

NEPTUN COMBO

Combined cabinet NEPTUN COMBO is combination of display and storage and it is ideal for selling frozen foods. Horizontal and vertical product presentation offers large volume capacity and easy access. Fully equipped with LED lighting, this cabinet offers maximum visibility of displayed products.

Additional dividers at the bottom part of the NEPTUN COMBO enable a transparent classification of goods. This combinated cabinet is equipped with electronic expansion valve and electronic controlled fans. Both, vertical and horizontal part of the cabinet have

their own evaporator and advanced controller to ensure optimal operation and maximum energy efficiency with low energy consumption.

Temperature class: L1

Refrigerant: R744 or HFC

NEPTUN COMBO S cabinets have unified design, base and bumper height, aligned with SKY, NEPTUN S and COMET S, perfect for side by side placement, **a** harmonized and engaging refrigeration line.

CUSTOMIZATION

- Controller options (Danfoss, Carel, Dixell Wurm, Eliwell)
- High efficiency EC fans
- Electronic expansion valve
- Stainless steel bumper
- Endwalls blind, panoramic, intermediate
- A variety of interior / exterior colour options

Accessories: plexi full height dividers, base and shelf dividers, base grids, etc.

2 RETAIL SYSTEM | PRODUCT



STANDARD EQUIPMENT

- Vertical twin door frame LED lightning top section
- LED lighting in bottom tank
- Push lids closure system




NEPTUN COMBO S:

- Energy free doors
- Anti-fog coated doors
- Glass top canopy
- Stainless steel bumper
- High efficiency EC fans
- Electronic expansion valve


NEPTUN COMBO H:

- Triple glass high efficiency doors
- Metal top canopy
- Plastic bumper
- Thermal expansion valve

NEPTUN COMBO 2031




NEPTUN COMBO 2184



						Lenght (mm)			Temperature class*	
Height (mm)	VD VERTICAL (mm)	VD HORIZONTAL (mm)	Depth (mm)	Shelf depth vertical (mm)	Shelf depth horizontal (mm)	1875	2500	3750	M1	u
2031	750	800	1236	350	350	√	\checkmark	√	√	√
2184	900	800				√	\checkmark	✓	√	√

NEPTUN COMBO / COMBINED CABINETS





Germany / Austria / Switzerland

- Germany / Austria / Switzerland
- **+**49 1525 54 29 168
- info.de@wsl-refrigeration.de

Montenegro

Slovenia / BIH /

- Sneberska cesta 111B1260 Ljubljana-Polje
- +38612440800
- info.si@wsl-refrigeration.com

Serbia

- Prva severna 822300 Stara Pozova
- +381 22 2155 701
- info.rs@wsl-refrigeration.com

Croatia

- Zagrebačka cesta 23310000 Zagreb
- **\(\sqrt{5} +38513882668**
- ✓ info.hr@wsl-refrigeration.com

Greece

- Greece
- +30 6906 822402
- info.gr@wsl-refrigeration.com

West Europe

- West Europe
- +3861244 08 00
- info.si@wsl-refrigeration.com

Central and East Europe

- O Central and East Europe
- **+**48 690 654 054
- info.cee@wsl-refrigeration.com

Balkan

- Balkan
- +381 64 64 10 439
- info.balkan@wsl-refrigeration.com

Middle East

- Middle East
- +381 64 64 41 850
- info.middleeast@wsl-refrigeration.com

America

- O America
- +38612440800
- info.si@wsl-refrigeration.com

Africa

- Africa
- +381 22 2155 701
- info.rs@wsl-refrigeration.com

Asia

- Asia
- +381 22 2155 701
- info.rs@wsl-refrigeration.com